

VALVOLE A SFERA BALL VALVES

100% **MADE IN ITALY**



**PER OSSIGENO
E GAS MEDICALI**

FOR OXYGEN AND MEDICAL GASES



**IDRO
SFER**

VALVOLE A SFERA IN OTTONE NICHELATO **SGRASSATE** PER USO OSSIGENO E GAS MEDICALI



Art. 105OX
Femmina/Femmina - ISO 228/1
Comando a leva
Female/Female - ISO 228/1
Lever control



Art. 120OX
Maschio/Femmina - ISO 228/1
Comando a leva
Male/Female - ISO 228/1
Lever control



Art. 80OX
Maschio/Maschio - ISO 228/1
Comando a farfalla
Male/Male - ISO 228/1
Butterfly handle control



Art. 105AIRSENS
Femmina/Femmina - ISO 228/1
Comando a leva
Female/Female - ISO 228/1
Lever control

CON SENSORE
WITH CAPACITY SENSOR

Temperatura di esercizio
Working temperature
-10°C +60°C



Su richiesta sgrassaggio
anche sugli altri articoli a catalogo.
On request degreasing procedure
also on the other catalogue items.

BALL VALVES IN NICKEL PLATED BRASS **DEGREASED** FOR OXYGEN AND MEDICAL GASES USE



Art. 110OX
Femmina/Femmina - ISO 228/1
Comando a farfalla
Female/Female - ISO 228/1
Butterfly handle control



Art. 121OX
Maschio/Femmina - ISO 228/1
Comando a farfalla
Male/Female ISO - 228/1
Butterfly handle control



Art. 81OX
Maschio/Maschio - ISO 228/1
Comando a farfalla
Male/Male ISO - 228/1
Butterfly handle control



Art. ANDROMEDA OX
Femmina/Femmina - ISO 228/1
Comando a leva piatta
Female/Female - ISO 228/1
Flat lever control

LUCCHETTABILE
LOCKABLE

Pressione
Pressure
PN 20

ISO 13485
BUREAU VERITAS
Certification



Azienda certificata
secondo gli standard ISO 13485
Certified Company
according to ISO 13485

New

VALVOLE A SFERA SGRASSATE CON RACCORDI A SALDARE PER TUBO RAME

DEGREASED BALL VALVES
WELDING FOR COPPER PIPE



Art. 1500X
Raccordi a saldare
per tubo rame
Comando a leva
Welding copper
pipe connection
Lever control

1/2"x10, 1/2"x12, 1/2"x14
1/2"x15, 1/2"x16
3/4"x22
1"x22, 1"x28
1"1/4x35
1"1/2x42
2"x54



Art. 1510X
Raccordi a saldare
per tubo rame
Comando a farfalla
Welding copper
pipe connection
Butterfly handle control

1/2"x10, 1/2"x12, 1/2"x14
1/2"x15, 1/2"x16
3/4"x22
1"x22, 1"x28



TENUTA SEDE PIANA
CON O-RING
FLAT CONNECTION
WITH O-RING SEAL



Facili e veloci da installare
Easy and fast to install





Trasporto e distribuzione gas medicali

Transport and distribution of medical gases



Ospedali, cliniche e laboratori

Hospitals, clinics and laboratories



Impianti medicali

Medical installations



Applicazioni medicali e industriali.

Destinata a impianti di distribuzione di ossigeno e gas medicali, la gamma OX viene sottoposta a particolari trattamenti di sgrassatura con prodotti specifici per eliminare ogni tipo di residuo di lavorazione secondo le rigorose procedure ISO 13485.

Medical and industrial applications.

Recommended for oxygen and medical gases distribution systems, the OX range is subjected to degreasing treatment with specific products in order to remove any possible processing residue according to the rigorous ISO 13485 procedures.



Sede Operativa / Operation Headquarters
Via Matteotti, 145/D
28077 Prato Sesia (NO) ITALY

Sede Legale / Registered Office
Via Monte Generoso, 6A
20155 Milano (MI) ITALY



(+39) 0163 852716/852730
(+39) 0163 850970 FAX



idrosfer@idrosfer.it / info@idrosfer.it
idrosfernegrsl@pcert.it



www.idrosfer.it